



### Trade name: FFGGROUP

#### 1.IDENTIFICATION OF THESUBSTANCE /PREPARTION AND OF THE COMPANY/ UNDERTAKING

PRODUCT CODE AND NAME FFG GROUP

RECOMMENDED USES AND RESTRICTIONS First Filling Grease for shielded Tunnel

boring machines

MYS CHEMICAL Company identification

Emergency phone number Emergency telephone number of

+(90) 2122155262 info@myskimya.com

Service / person to contact www.myskimya.com

Health and safety department Official advisory body Emergency telephone number of

> +(90) 2122155262 info@myskimya.com

www.myskimya.com

#### 2.COMPOSTION / INFORMATION ON INGREDIENTS

CHEMICAL FAMILY

Hazardous component(s)

According to our knowledge this product does not Contain any hazardous component at a concentration Above the limits indicated by the regulations in force At the date of this document.

See selection 8 too for the components with a exposure limit value

Product with a synthetic oil basis %weight CASNR EINECS/ ELINCS

#### 3. HAZARDS IDENTIFICATION

Not Concerned by CE mandatory labeling preparation Adverse human health effects

Information on ecological effects

Physic - chemical hazards

Does not present any specific hazard if general hygiene rules are respected

See section (2) 12

Nothing to refer



4.First - AID MEASURES	
INHALATION	Not applicable at usual temperature of use. In case of inhalation of superheat or combustion fumes, remove the victim to fresh air; see a physician after all important exposure.
SKIN CONTACT	Wash well with soap and water.
EYE CONTACT	In case of eye contact, immediately rinse with clean water for 10-15 minutes. See an ophthalmologist if necessary.
INGESTION	If swallowed, do not induce vomiting. Rinse mouth with water. call a physician if needed
5.FIRE - FIGHTING MEASURES	
EXTINGUISHING MEDIA -SUITABLE	IN CASE OF FIRE , USE carbon dioxide (co2) dry chemical, foam
-Not to be used SPECIFIC HAZARDS	Jet of water Combustible See also chapter 10
SPECIAL PROCEDURES	Do not breathe fumes Usewatersprayorfogforcoolingexposedcontainers
PROTECTION AGANST FIRE	Use self – contained breathing apparatus when close
6.ACCIDENTAL RELEASE MEASURES	
PERSONAL PRECAUTION	Wear suitable protective clothing and gloves See also chapter 8
ENVIRONMENTAL PRECAUTION	Impound / recover large land spill Prevententry to sewers and public waters
Recovery	Recoverthe spilled material. Putitin containers to facilitate its disposal. Remove mechanically
Decontamination/cleaning disposal	Clean the ground with mixture of water and cleaning product give soiled materials to an approved recuperator see also chapter 13.



#### 7. HANDLING AND STORAGE

HANDLING Avoid the overheating of the product

**Technical protective measures**Avoid prolonged or repeated contact with skin

Precaution See technical data sheet
Safe handling advice

**STORAGE** For see and adequate retention system cup to avoid the

Technical indications pollution of water and ground in case of accidental

spillage.

Storage conditions

Incompatible materials

Packaging materials:

Store sheltered from bad weather
Keep away from all sources of ignition

Suitable See section s 10

Keep in original containers

#### 8. EXPOSURE CONTROLS / PERSONAL PROTECTION

EXPOSURE LIMITS VALUES Not conceded

PERSONAL PROTECTION

Respiratory protection Gloves

Hands protection Gloves in nitril rubber

**Eye protection** Safely goggles in case of splashes risk

Other personal protections Usual protection means : overalls, safety shoes

#### 9-PHYSICAL AND CHEMICAL PROPERTIES

Form:	homogenous paste, fibrous
Color:	yellow
Odor:	none
Density[kg/m3]200c:	1600-
Consistency:	1700
ASTM D217[NLGI Grade]	8

**4-ball wear:**DIN51350:5[mm] <0.9

Oil dropping point:

**Water wash out(380C):** 350°C ISO11009[%] <4%

Water spray off(38 0C):
ASTM D4049 [%] <5%

Water resistance:

DIN51807/1 0-0 Flash point (base oil):

>250°C



**10.STABILITY AND REACTIVITY** 

**STABILITY** 

**HAZARDOUDS REACTIONS** 

**CONDITIONS** to avoid

Materials to avoid

Hazardous decomposition products

Stable in normal storage use conditions

Temperatures above the flash point and /or above decomposition point, sparks, eliminate every possible

source ofignition

strong oxidizing agents acids

Carbon monoxide carbon dioxide sulphur products

11. TOXICOLOGICAL INFORMATION

**ACUTE TOXICITY** 

-INGESTION

-Inhalation

-Skin contact -Eye contact

SENSITIZATION SUB - ACUTE & CHRONIC TOXICITY SPECIFIC SIDE - EFFECT S

CARCINOGENICITY
Mutagen city

Reproductive toxicity

May cause digestive troubles like: diarrhea, nausea.

vomiting, abdominal pain

Not classifies as irritant applicable at usual temperature of use. in case of large inhalation of superheat or combustion fumes, may cause respiratory tract irritation

Not classified as irritant Not classified as irritant

Not classified sensitizing agent

Not classified Not classified Not classified

**12.ECOLOGICAL INFORMATION** 

PERESISTENCE AND DEGRADABILTY BIODEGRATION

Rate of biodegradation

**ECOTOXICITY** 

Effects to aquaticorganisms

WGK class

GOOD QUALITIES OF BIODEGRATION

70% after 9-10 days

Not classified as dangerous for the environment



13.DISPOSAL CONSIDERATIONS	
DISPOSAL Forbidding	Do not dispose of by means of sinks, drains or in the immediate environment.
Disposal	Give to an approved recuperate for disposal.
Disposal of PACKAGING	Complyemptypackagingbeforedisposal
LEGISLATION	Comply with applicable regulation
Waste code :	08 04 10
14. Transport INFORMATION	
ROAD ( ADR ) / RAIL (RID ) Class number	Not classified
MARRINE ( IMO- IMDG) CLASS	Not classified
AIRLINE ( ICAO/ IATA ) CLASS division	Not classified
15.REGULATORY IN FORMATION	
EC REGULATION	
SYMBOLS (s)	None
R Phrase (s)	Not concerned by CE mandatory labeling preparations
16 OTHER IN FORMATION	

#### 16. OTHER IN FORMATION

#### **ADVICE TO USERS**

This form completes technical data sheet but does not replace it. The information contained herein is based on the data available to us and believed to be correct. We do not warrant or guarantee their accuracy or reliability and we are not liable for any loss or damage arising out of the use thereof. The information and recommendations are offered for the users. The whole regulation is only mentioned to help the address to perform its duty when using a dangerous product. This list must not be considered as exhaustive and does not relive the address to verify that some other obligations do not fall on him

according to some other texts concerning the holding or handing of the product is responsible for.