



MATERIAL SAFETY DATA SHEET

It is compliant with the Regulation on the Preparation and Distribution of Safety Data Sheets for Hazardous Substances and Mixtures. [R.G. 26.12.2008-27092].

Material	Contact Adhesive	Date	13.02.2014
		Revision Date	31.07.2015
Form Number	FR.01.TL-00002	Version	2
		Regulations Number	R.G. 26.12.2008- 27092

Segment Gasket Adhesive SOLVENT-BASED

1. SUBSTANCE / PRODUCT AND COMPANY / EMPLOYER INTRODUCTION

Product Identification: Contact Adhesive

Product Use : Adhesive

Producer : Forta İnşaat Ve Sanayi A.Ş.

Seba Office Boulevard Ayazağa Mah. Mimar Sinan Sok.

Tel: +90 (212) 215 52 62

Fax: +90 (212) 215 52 63

No:21 D Blok 48 Sariyer / İstanbul

 Phone Number
 : +90 212 215 52 62

 Faks Number
 : +90 212 215 52 63

 E-mail
 : info@forta.com.tr

Emergency

Phone number : +90 212 215 53 62





2. INFORMATION ABOUT THE COMPOSITION OF CHEMICAL

Chemical Composition of the Substance: Synthetic rubber, resins, inorganic additives, and aliphatic solvents.

3. HAZARD DEFINITION

The Most Significant Hazards: There is a risk of showing carcinogenic effects

4. FIRST-AID MEASURES

If Inhaled: Remove to fresh air. If necessary, perform artificial respiration. Seek medical attention.

If in Contact with Skin: Wash the affected skin with plenty of soapy water. If necessary, apply soothing creams to reduce irritation.

If in Contact with Eyes: Open eyelids and rinse with plenty of water for 15 minutes.

If Swallowed: Remove to fresh air. Give plenty of water to drink. Seek medical attention.

5. FIRE FIGHTENING MEASURES

Specific Hazards: The gas is heavier than air. The gas is not flammable.

Suitable Fire Extinguishing Agent : CO2, foam, and dry powder.

Protective Equipment: Chemical-resistant clothing and masks should be used in the hazard area.

6. PRECAUTIONS AGAINST SPILLAGE DUE TO ACCIDENT

Personal Precautions: Avoid inhaling the vapor and contact with the substance.

Environmental Precautions : Do not pour into sewage systems.

7. USE AND STORAGE

Usage: Avoid inhaling the substance for safe use.

Storage : Containers should be tightly closed, stored in a well-ventilated area, protected from light, and maintained at a temperature between 15-25°C.

8. PERSONAL PROTECTIVE

Respiratory System Protection: Use FILTER A for protection against vapors and organic compounds.

Hand Protection : Necessary for protecting the hands.

Eye Protection: Necessary for protecting the eyes.





9. PHYSICAL AND CHEMICAL PROPERTIES

VISCOSITY (cp): 2000 - 2500 DENSITY (g/cm3): 1,20 COLOR: Light Yellow

APPLY TEMPERATURE (°C): Room Temperature

DRY TIME (min.): 15-20

10. STABILITY VE REACTIVITY

Avoidance Conditions: Avoidance Conditions

Substances to Avoid Contact With: Alkali metals, alkaline earth metals, powdered metals, alkali amides, perchloric acid, nitric acid, metal oxides, oxygen, aluminum, sodium acid.

11. TOXICOLOGY INFORMATION

Skin Contact: Causes irritation.

Eye Contact : Risk of blurred vision. May cause damage to the cornea.

Ingestion: Irritation and intoxication in the throat.

12. ECOLOG INFORMATION

Ecotoxicity information : Fish toxicity: LC50: 310 mg/L / 96h

Additional information: Do not dispose of into water, sewage, or soil.

13. DISPOSURE INFORMATION

Additional Information: The use, storage, transportation, and disposal of this product must be carried out in compliance with local and central legal regulations. Do not discharge into surface waters or the domestic water system.

14. TRANSPORTION

Land Transport: GGVS, GGVE, ADR, RID Sinif: 6,1/15C

15. REGULATORY INFORMATION

Symbols :Xn

Hazardous R-Phrases

R-40 : Suspected carcinogenic effect - inadequate data

Safety S-Phrases

S-23: Do not breathe gas/fumes/vapors/spray **S-24/25**: Avoid contact with eyes and skin.

S-36/37: Wear suitable protective clothing and gloves during work.

16. OTHER INFORMATION

Warning: This information is provided to explain the health and safety requirements to our customers. While the information is based on accurate and reliable sources, Forta İnşaat ve Sanayi A.Ş. cannot be held responsible for any defects or liabilities arising from the use of this product or the actions related to this information.

